

Organization:

In cooperation with:

Under the Auspices:



European Society of Digestive Oncology

FORUM ON DIGESTIVE ONCOLOGY

COLON & RECTAL MALIGNANCIES ACROSS DISCIPLINES

25 -
26

September
2026

Venue Royal
Olympic Hotel
ATHENS

Scientific Program



I don't
want a
fairy
tale

I need everything
you've got



Για περισσότερες πληροφορίες απευθυνθείτε στην Εταιρεία
Η Περιλήψη των Χαρακτηριστικών του Προϊόντος είναι στη διάθεσή σας.
Αναζητήστε την από εκπρόσωπο της εταιρείας ή στον υπεύθυνο
<https://www.lilly.gr/landing-pages/cyramza/> ή σκανάρετε τον κωδικό QR

Βοηθήστε να γίνουν τα φάρμακα πιο ασφαλή και Αναφέρετε
ΟΛΕΣ τις ανεπιθύμητες ενέργειες για ΟΛΑ τα φάρμακα
Συμπληρώνοντας την «ΚΙΤΡΙΝΗ ΚΑΡΤΑ»



ΦΑΡΜΑΣΕΡΒ - ΛΙΛΛΥ Α.Ε.Β.Ε.

15ο χλμ. Εθνικής Οδού Αθηνών-Λαμίας, 14564 Κηφισιά ΤΗΛ.: 210 6294600 Fax: 210 6294610
Για παραγγελίες: ΤΗΛ.: 210 6294629 Fax: 210 6294630 e-mail: orders@lilly.gr www.lilly.gr

Συνδεθείτε με τη ΦΑΡΜΑΣΕΡΒ-ΛΙΛΛΥ
στο κοινωνικό δικτύο



CYR_GC_Av1_05/2023

Organization:



In cooperation with:



Under the Auspices:



FORUM ON DIGESTIVE
ONCOLOGY

COLON & RECTAL
MALIGNANCIES ACROSS
DISCIPLINES

25 -
26
September
2026

Venue Royal
Olympic Hotel
ATHENS

Dear Colleagues,

It is our great pleasure to welcome you to the Forum on Digestive Oncology 2026, dedicated this year to colon and rectal malignancies, organized by the Hellenic Society of Gastrointestinal Oncology and the Johannes Gutenberg University Mainz, in Athens, 25-26 September 2026.

Few areas of oncology are moving as quickly as colorectal cancer. Circulating tumor DNA, immunotherapy in earlier disease, organ preservation, and targeted approaches for BRAF- and PIK3CA-altered tumors have shifted practice within a few years. Bringing experts together around a single disease lets us examine these changes closely and ask what they mean at the bedside of our patients.

Optimal care remains a team effort. The Forum convenes surgeons, gastroenterologists, medical and radiation oncologists, diagnostic and interventional radiologists, pathologists, molecular biologists and geneticists, dietitians and patient advocates from Greece, Germany, the UK, Austria, Cyprus, Israel, the USA and France, each bringing a different vantage point to the same decision.

We are equally proud to feature prevention and early diagnosis: novel molecular diagnostics for screening, the role of physical exercise, and two dedicated workshops, one on understanding colonic polyps for non-gastroenterologists and one on Lynch syndrome in 2026, the latter with prominent participation from Harvard Medical School.

The program is deliberately case-based: real scenarios debated by multidisciplinary panels, alongside invited lectures, oral presentations from younger colleagues, and ample discussion.

Athens, with its rich cultural heritage and timeless beauty, offers an inspiring setting for a meeting held with the university of Johannes Gutenberg, whose press first made shared knowledge possible. We hope you find time to enjoy the city.

On behalf of the organizing committee, we extend our warmest welcome and look forward to two engaging and fruitful days.

Lypas Georgios

Medical Oncologist Chairman of
HSGO Co-Chair of the Organizing
Committee

Moehler Markus

Head of GI Oncology Mainz
University Clinic

Thomaidis Thomas MD, PhD

Gastroenterologist Secretary
General of HSGO Co-Chair of the
Organizing Committee

What science can do

Κλινική καινοτομία

Οι ψηφιακές τεχνολογίες δημιουργούν πρωτόγνωρες ευκαιρίες συλλογής δεδομένων από τους ασθενείς σε πραγματικό χρόνο.

Στην AstraZeneca αναπτύσσουμε τις ψηφιακές μας δυνατότητες σε όλο το φάσμα της Έρευνας και Ανάπτυξης, για να ανακαλύψουμε καλύτερους τρόπους τροφοδότησης των κλινικών μας μελετών με επικαιροποιημένη γνώση και να βοηθήσουμε τους ασθενείς στην πρόληψη, τη διαχείριση και τη θεραπεία της ασθένειάς τους.



Organization:



In cooperation with:



Under the Auspices:



FORUM ON DIGESTIVE
ONCOLOGY

COLON & RECTAL
MALIGNANCIES ACROSS
DISCIPLINES

25 -

26

September
2026

Venue Royal
Olympic Hotel
ATHENS

Organizing & Scientific Committees

Organizing Committee

Co-Chairs:

Lypas Georgios

Moehler Markus

Thomaidis Thomas

Members:

Fostira Florentia

Lyros Orestis

Michailidou Maria

Papalois Apostolos

Stamataki Asteria

Vogiatzis Merkourios

Scientific Committee

Co-Chairs:

Avgoustidou Maria

Papaxoinis Georgios

Members:

Brenner Baruch

Kamposioras Konstantinos

Kontovounisios Christos

Marquardt Jens

Mavrantonis Constantinos

Petrowski Katja

Sivanathan Visvakanth

Stamou Konstantinos

Tsirlis Theodoros

Veros Christos

Yurgelun Matthew

Για την θεραπεία του mHSPC ή nmCRPC

NUBEQA®: ΣΦΟΔΡΟ. ΑΝΕΚΤΟ.¹⁻⁴

Επιλέξτε το NUBEQA για να συνδυάσετε ισχυρή αποτελεσματικότητα με αποδεδειγμένη ανοχή.¹⁻⁴

Το NUBEQA βελτώνει σημαντικά την rPFS με 46% μείωση του κινδύνου εξέλιξης της νόσου ή θανάτου και μειώνει τα ποσοστά διακοπής της θεραπείας σε σύγκριση με το εικονικό φάρμακο στον mHSPC.^{4*}

* ARANOTE: NUBEQA + ADT έναντι ADT μόνο.⁴

ADT=θεραπεία στέρσης ανδρικών, mHSPC=μεταστατικός ορμονοευαίσθητος καρκίνος του προστάτη, nmCRPC=μη μεταστατικός ανθεκτικός στον ευνουχισμό καρκίνος του προστάτη, rPFS=επιβίωση χωρίς ακτινογραφική εξέλιξη.

Βιβλιογραφία: 1. NUBEQA (darolutamide) [περίληψη χαρακτηριστικών προϊόντος]. https://www.ema.europa.eu/el/documents/product-information/nubeqa-epar-product-information_el.pdf. 2. Smith MR, Hussain M, Saad F, et al. ARASENS Trial Investigators. Darolutamide and survival in metastatic, hormone-sensitive prostate cancer. N Engl J Med. 2022;386(12):1132-1142. 3. Fizazi K, Shore N, Tammela TL, et al. Nonmetastatic, castration-resistant prostate cancer and survival with darolutamide. N Engl J Med. 2020;383(11):1040-1049. 4. Saad F, Vijeters E, Shore N, et al. Darolutamide in combination with androgen-deprivation therapy in patients with metastatic hormone-sensitive prostate cancer from the phase III ARANOTE trial. J Clin Oncol. 2024;42(36):4271-4281.

ΠΟΙΟΤΙΚΗ ΚΑΙ ΠΟΣΟΤΙΚΗ ΣΥΝΘΕΣΗ

Κάθε επικαλυμμένο με λεπτό υμένιο δισκίο περιέχει 300 mg δαρολουταμίδης.

Έκδοχο με γνωστή δράση: κάθε επικαλυμμένο με λεπτό υμένιο δισκίο περιέχει 186 mg μονοϋδρικής λακτόζης

Λιανική τιμή: 3031.95 €



Κάτοχος της Άδειας Κυκλοφορίας:
Bayer AG 51368, Leverkusen, Γερμανία

Τοπικός αντιπρόσωπος του Κατόχου Άδειας Κυκλοφορίας στην Ελλάδα:
Bayer Ελλάς ΑΒΕΕ, Αγησιόλου 6-8, 15123 Μαρούσι, Αττική, Ελλάδα
Τηλ: 210 6187500, Αρ. ΓΕΜΗ: 000299101000

Τοπικός αντιπρόσωπος του Κατόχου Άδειας Κυκλοφορίας στην Κύπρο:
Novagem Ltd, Τηλ: 00357 22483858

Τμήμα Ιατρικής Πληροφόρησης
Τηλ: +30 210 6187742, Φαξ: +30 210 6187522
Email: medinfo.gr.cy@bayer.com

Το NUBEQA ενδείκνυται για τη θεραπεία ενηλίκων ανδρών με μη μεταστατικό, ανθεκτικό στον ευνουχισμό καρκίνο του προστάτη (nmCRPC) οι οποίοι διατρέχουν υψηλό κίνδυνο να αναπτύξουν μεταστατική νόσο.

μεταστατικό ορμονοευαίσθητο καρκίνο του προστάτη (mHSPC) σε συνδυασμό με θεραπεία στέρσης ανδρικών.
μεταστατικό ορμονοευαίσθητο καρκίνο του προστάτη (mHSPC) σε συνδυασμό με δοσταξέλη και θεραπεία στέρσης ανδρικών.



Πριν τη συνταγογράφηση συμβουλευτείτε την Περίληψη των Χαρακτηριστικών του Προϊόντος που θα βρείτε σαρώνοντας το QRC ή ακολουθώντας τον σύνδεσμο: https://www.ema.europa.eu/el/documents/product-information/nubeqa-epar-product-information_el.pdf, Ημερομηνία τελευταίας ενημέρωσης: Ιούλιος 2025

Περιορισμένη ιατρική συνταγή από ειδικό ιατρό και παρακολούθηση κατά τη διάρκεια της αγωγής

Φαρμακευτικό προϊόν για το οποίο απαιτείται ιατρική συνταγή
ΟΛΕΣ τις ανεπιθύμητες ενέργειες για ΟΛΑ τα φάρμακα Συμπληρώνοντας την «ΚΙΤΡΙΝΗ ΚΑΡΤΑ»

PP-NUB-GR-0104-1
09.2025



Scientific program

Friday, 25 September 2026

09:00-10:00 **Oral presentations - Colon cancer**

10:00-10:45 **Case: Young-onset CRC: presentation, diagnosis & genetic workup**

Moderators: **J. Marquardt · Th. Thomaidis**

Presenter: **K. Kamposioras**

A. Alarming features in young patients - when to escalate to urgent colonoscopy and why diagnosis is often delayed.

V. Sivanathan

B. Oncologic management - staging workup, systemic treatment principles, fertility considerations.

K. Kamposioras

C. Surgical decision in a young patient - oncologic principles, functional priorities, curative intent.

N. Zampitis

D. Genetic workup - when to suspect hereditary cause without family history, germline thresholds, cascade testing.

Ch. Veros

10:45-11:05 **Invited talk**

Moderator: **A. Stamatakis**

Physical exercise for the prevention & management of CRC.

E. Voulgaris

11:05-11:50 **Case: T1 colon cancer after piecemeal EMR: resect or watch?**

Moderators: **Th. Thomaidis · K. Konstantinidis**

Presenter: **M.A. Malamatenios**

A. Endoscopic management after piecemeal resection - salvage ESD, scar re-inspection, feasibility.

Th. Thomaidis

B. LN metastasis risk in T1 CRC - which histologic features matter when depth and margins are not assessable.

K. Pavlou

C. Oncologic resection vs local excision - counselling with an Rx specimen, medico-legal framing.

A. Perrakis

D. Aspirin as adjuvant therapy - the ALASCCA trial: PIK3CA-mutated colorectal cancer, patient selection and practice implications.

G. Lypas

11:50-12:10 **Coffee break**

vegzelmaTM ▼

bevacizumab

Το ταξίδι της ζωής συνεχίζεται

Πριν τη συνταγογράφηση συμβουλευτείτε την Περίληψη των Χαρακτηριστικών του Προϊόντος που διατίθεται από τον Κ.Α.Κ.

ΤΡΟΠΟΣ ΔΙΑΘΕΣΗΣ : Με περιορισμένη ιατρική συνταγή: Μόνο για νοσοκομειακή χρήση από ιατρό με κατάλληλη ειδικότητα και εμπειρία

Ενδείκνυται για τη θεραπεία σε ενήλικες ασθενείς

▼ Αυτό το φάρμακο τελεί υπό συμπληρωματική παρακολούθηση. Αυτό θα επιτρέπει το γρήγορο προσδιορισμό νέων πληροφοριών ασφάλειας. Ζητείται από τους επαγγελματίες υγείας να αναφέρουν οποιασδήποτε πιθανολογούμενες ανεπιθύμητες ενέργειες. Βλ. παράγραφο 4.8 για τον τρόπο αναφοράς ανεπιθύμητων ενεργειών

Λιανική τιμή : VEGZELMA C/S.SOLIN 25MG/ML BT X 1 VIAL X 16ML / Λ.Τ : 572,61 € VEGZELMA C/S.SOLIN 25MG/ML BT X 1 VIAL X 4ML / Λ.Τ : 161,00 €



BIANEX
ΒΙΟΜΗΧΑΝΙΑ ΦΑΡΜΑΚΩΝ
ΕΤΑΙΡΕΙΑ ΤΟΥ ΟΜΙΛΟΥ ΓΙΑΝΝΑΚΟΠΟΥΛΟΥ

BIANEX A.E. - Έδρα : Οδός Βαρμυτόμης 8, 14671 Ν. Ερυθραία, Κηφισιά,
Ταχ. Θυρίδα 52894, 146 10 Ν. Ερυθραία, Τηλ. : 210 8009111- Fax: 210 8071573
E-mail: mailbox@bianex.gr • WEBSITE: www.bianex.gr • ΘΕΣΣΑΛΟΝΙΚΗ: Ακαδήμνου 113,
562 24 Εύοσμος Θεσσαλονίκης • Τηλ.: 2310 861683
ΑΡ. Γ.Ε.ΜΗ. 000274201000

 **HEALTHCARE
CELLTRION**

Βοηθήστε να γίνει το φάρμακο πιο ασφαλές και
δοσολογία
ΟΛΕΣ οι κατασκευαστικές ενέργειες για
τάδε το φάρμακο
Συμπληρώνονται στο «BETTERIN KAPTA»

BE-25006-VEG-4/2025



Friday, 25 September 2026

12:10-12:30

Invited talk

Moderator: **F. Petropoulou**

Novel molecular diagnostics for screening & monitoring CRC:
what should clinicians know?

G. Lypas

12:30-13:15

Case: Stage II colon cancer: the grey zone

Moderators: **D. Papamichael · M. Moehler**

Presenter: **M. Moehler**

A. ctDNA in stage II MSS - what DYNAMIC, BESPOKE, CIRCULATE
license today and the limits of the evidence.

D. Papamichael

B. Assay platforms - turnaround, interpreting a low-positive result,
what the clinician needs from the lab.

G. Kapetsis

C. Access, reimbursement and real-world implementation -
can ctDNA actually enter routine stage II care?

M. Tzima

D. Classic high-risk histology vs molecular risk - do T4, <12 nodes,
LVI and poor differentiation still drive the decision or
does ctDNA override them?

D. Papaioannou

13:15-14:40

Lunch break

14:40-15:25

Case: Metastatic dMMR CRC: from missed adjuvant IO to frontline

Moderators: **G. Papaxoinis · B. Brenner**

Presenter: **G. Papaxoinis**

A. COMMIT and frontline IO in dMMR mCRC -
dual IO vs mono IO vs chemo-IO: how to choose in 2026.

B. Brenner

B. ATOMIC trial - adjuvant atezolizumab in stage III dMMR and
implications for those who missed it.

K. Kamposioras

C. Response assessment in dMMR mCRC - RECIST limits with IO,
pseudoprogression patterns.

S.I. Chrysoglou

D. Gastroenterologist immune-related adverse events - IO colitis diagnosis,
management and when toxicity forces IO discontinuation.

J. Marquardt

15:25-15:45

Coffee break

Fulvestrant / Innovis

Fulvestrant

Abinone®

Abiraterone Acetate

Inepitant®

Aprepitant

Dexacort®

Dexamethasone



INNOVIS PHARMA A.E.B.E.
Λεωφ. Κηφισίας 44
Μαρούσι, 15125
T: +30 2162005600
F: +30 2106664804
www.innovispharma.gr

Βοηθήστε να γίνουν τα φάρμακα πιο ασφαλή
και Αναφέρετε
ΟΛΕΣ τις ανεπιθύμητες ενέργειες για
ΟΛΑ τα φάρμακα
Συμπληρώνοντας την «**Κίτρινη Κάρτα**»

Πριν τη συνταγογράφηση συμβουλευτείτε την
ΠΧΠ του προϊόντος η οποία είναι διαθέσιμη από
την εταιρεία εφόσον ζητηθεί

ADP-A004-0625

DEXACORT® SOLU.TAB 8MG/TAB X 30 tabs σε Alu-Alu blister
Τρόπος διάθεσης: Με ιατρική συνταγή
Λιανική Τιμή: 111,04€ Δ.Τ.5/2025

DEXACORT® SOLU.TAB 40MG/TAB BT X 10 tabs σε Alu-Alu blister
Τρόπος διάθεσης: Φαρμακευτικό προϊόν για το οποίο απαιτείται περιορισμένη
ιατρική συνταγή από ειδικό ιατρό & παρακολούθηση κατά τη διάρκεια της αγωγής
Λιανική τιμή: 249,08€ Δ.Τ.5/2025

FULVESTRANT/INNOVIS INJ.SO.PFS 250MG/5ML BT X 2 PFSYR (GLASS-TYPE 1) X 5 ML
+ 2 BEANES AZΘAΛΕΙΑΣ (BD Safety Glide)

ABINONE® F.C.TAB 500MG/TAB BT X (60 X 1) TAB SE BLISTER (PVC/PVDC/AL) - UNIT DOSE
Τρόπος διάθεσης: Με ιατρική συνταγή
Λιανική Τιμή: 1554,33 € Δ.Τ. 5/2025

INEPITANT® CAPS 125MG/CAP BTX1 cap x 125 + 2 cap x 80MG σε blisters
(OPA/ALLU/PVC/αλουμινίου)

Τρόπος διάθεσης: Με ιατρική συνταγή
Λιανική Τιμή: 26,81 € Δ.Τ. 5/2025

Friday, 25 September 2026**15:45-16:45****Workshop: Colonic polyps for non-gastroenterologists**Moderators: **Th. Thomaidis · V. Sivanathan**

Part 1: Pathologist with molecular insights.

K. Pavlou

Part 2: Endoscopic features and management.

V. Sivanathan

Part 3: Beyond FAP - diagnosing and managing polyposis syndromes.

K. Agiannitopoulos**16:45-17:30****Case: BRAF V600E mCRC with liver-limited disease: best first move**Moderators: **A. Perrakis · J. Marquardt**Presenter: **M. Avgoustidou**A. BREAKWATER - encorafenib + cetuximab + FOLFIRI as 1st line: evidence and patient selection.**E.S. Tripodaki**

B. Liver resectability in BRAF mCRC - upfront vs response-guided surgery, molecular profile and surgical intent.

Th. Tsirlis

Non-V600E BRAF mutations in mCRC - how to treat.

G. Nintos

C. PET-CT in BRAF mCRC - FDG avidity, response assessment beyond CT, surgical timing.

M. Vogiatzis**17:30-18:15****Case: Advanced lines of treatment: when options are running out**Moderators: **M. Avgoustidou · D. Papamichael**Presenter: **E. Mitry**

A. Actionable targets in later lines - KRAS G12C, HER2, NTRK: available drugs and how NGS timing affects access.

E. Mitry

B. Regorafenib, TAS-102 and beyond - selection, sequencing, dose optimization, ctDNA-guided EGFR rechallenge.

M. Moehler

C. Locoregional options in later lines - HAI, ablation, SBRT as adjuncts when oligoprogression occurs.

S. Grigoriadis

D. Goals-of-care in advanced lines - presenting options without false hope, QoL trade-offs, when to shift focus.

M. Avgoustidou

SANDOZ



ZARZIO®
filgrastim



ZIEXTENZO®
pegfilgrastim

ZARZIO

Τρόπος διάθεσης:

Περιορισμένη ιατρική συνταγή. Η διάγνωση και/ή η έναρξη της θεραπείας γίνεται σε νοσοκομείο και μπορεί να συνεχίζεται εκτός νοσοκομείου υπό νοσοκομειακή παρακολούθηση.

Νοσοκομειακή τιμή σύμφωνα με το Δελτίο αναθεωρημένων τιμών Δεκέμβριος 2024

Νοσοκομειακή τιμή:

ZARZIO 48 MIU: 78,56 €,

ZARZIO 30 MIU: 57,97 €

Σε περίπτωση έκδοσης νέου Δελτίου Τιμών Φαρμάκων, ισχύουν οι νεότερες τιμές

ZIEXTENZO

Τρόπος διάθεσης:

Περιορισμένη ιατρική συνταγή. Η διάγνωση &/ή η έναρξη της θεραπείας γίνεται σε νοσοκομείο & μπορεί να συνεχίζεται εκτός νοσοκομείου υπό νοσοκομειακή παρακολούθηση.

Νοσοκομειακή τιμή σύμφωνα με το Δελτίο αναθεωρημένων τιμών Δεκέμβριος 2024

Νοσοκομειακή τιμή:

ZIEXTENZO INJ.SO.PFS 6MG BTx1 PF.SYR 234,94 €

Σε περίπτωση έκδοσης νέου Δελτίου Τιμών Φαρμάκων, ισχύουν οι νεότερες τιμές

Πριν την συνταγογράφηση συμβουλευθείτε την Περίληψη των Χαρακτηριστικών του Προϊόντος σκανάροντας τον παρακάτω σύνδεσμο:



ZARZIO-ZIEXTENZO/ADV4BANNER/OCT2025 GR250249663

SANDOZ

ΚΑΚ: Sandoz GmbH
Biochemiestrasse 10, A-6250 Kundl, Αυστρία

Τοπικός Αντιπρόσωπος:
SANDOZ HELLAS ΜΟΝΟΠΡΟΣΩΠΗ Α.Ε.
Φραγκοκκλησιάς 7Β, 151 25 Μαρούσι
Τηλ: +30 216 600 5000

Βοηθήστε να γίνουν τα φάρμακα πιο ασφαλή και Αναφέρετε

ΟΛΕΣ τις ανεπιθύμητες ενέργειες για **ΟΛΑ** τα φάρμακα

Συμπληρώνοντας την «**ΚΙΤΡΙΝΗ ΚΑΡΤΑ**»

Organization:



In cooperation with:



Under the Auspices:



FORUM ON DIGESTIVE
ONCOLOGY

COLON & RECTAL
MALIGNANCIES ACROSS
DISCIPLINES

25 - 26
September
2026

Venue Royal
Olympic Hotel
ATHENS

Friday, 25 September 2026

18:15-18:35

Opening ceremony

Moderators: **A. Papalois**

The patient perspective in colorectal cancer care.

K. Apostolidis

Saturday, 26 September 2026

08:30-09:30

Oral presentations - Rectal cancer

09:30-10:15

Case: low-rectal cancer with cCR after TNT: watch & wait or TME?

Moderators: **Ch. Panopoulos · N. Vassos**

Presenter: **A. Sotiropoulou**

A. W&W candidacy in 2026 - defining true cCR, risk stratification, when to proceed straight to TME.

M. Michailidou

B. MRI response assessment - mrTRG pitfalls, fibrosis vs residual tumor, what imaging tells the surgeon.

P. Nikolopoulos

C. W&W surveillance - imaging and endoscopy schedule, ctDNA role, regrowth detection and salvage TME.

B. Jansen-Winkel

10:15-10:35

Invited talk

Moderator: **S. Parasyris · P. Efthimiou**

Immunotherapy for localized rectal cancer.

B. Brenner

ΕΓΚΕΚΡΙΜΕΝΟ ΑΠΟ ΤΟΝ ΕΜΑ: ως μονοθεραπεία για ενήλικες ασθενείς οι οποίοι έχουν υποβληθεί προηγουμένως σε διαθέσιμες τυπικές θεραπείες¹



Επαναπροσδιορίστε την επιβίωση

Η πρώτη στοχευμένη θεραπεία στον mCRC ανεξαρτήτως μεταλλάξεων^{1,3}

Το FRUZAQLA ενδείκνυται:

Το FRUZAQLA ως μονοθεραπεία ενδείκνυται για τη θεραπεία του μεταστατικού ορθοκολικού καρκίνου (mCRC) σε ενήλικες ασθενείς οι οποίοι έχουν υποβληθεί προηγουμένως σε διαθέσιμες τυπικές θεραπείες, συμπεριλαμβανομένης της χημειοθεραπείας με βάση την φθοριοπυριμιδίνη, την οξαλιπλατίνη και την ιρινοτεκάνη, παράγοντες anti-VEGF και παράγοντες anti-EGFR, και οι οποίοι έχουν παρουσιάσει πρόοδο νόσου ή είχαν δυσανεξία σε θεραπεία είτε με τριφλουριδίνη/τιπιρασσίλη είτε με ρεγοραφενίμπη.

Βιβλιογραφικές παραπομπές:

1. FRUZAQLA®. Περίληψη χαρακτηριστικών του προϊόντος.
2. Dasari A, Lonardi S, Garcia-Carbonero R, et al; FRESCO-2 Study Investigators. Fruquintinib versus placebo in patients with refractory metastatic colorectal cancer (FRESCO-2): an international, multicentre, randomised, double-blind, phase 3 study. Lancet. 2023;402(10395):41-53.
3. Li J, Qin S, Xu R, et al. Effect of fruquintinib vs placebo on overall survival in patients with previously treated metastatic colorectal cancer: the FRESCO randomized clinical trial. JAMA. 2018;319(24):2486-2496.

Περιορισμένη ιατρική συνταγή από ειδικό ιατρό και παρακολούθηση κατά τη διάρκεια της αγωγής.

FRUZAQLA Tabs, 5 mg/Tab, BT x 21: Ενδεικτική Τιμή Παραγωγού 5.652,21€
FRUZAQLA Tabs, 1 mg/Tab, BT x 21: Ενδεικτική Τιμή Παραγωγού 1.420,15€

Ενδεικτική τιμή πώλησης/συσκευασίας [με βάση την ισχύουσα νομοθεσία αναφορικά με τους κανόνες τιμολόγησης και ανατιμολόγησης φαρμάκων αναφοράς εντός της περιόδου προστασίας των δεδομένων τους (on patent)].

Πριν τη συνταγογράφηση συμβουλευθείτε την Περίληψη Χαρακτηριστικών του Προϊόντος ΕΔΩ.

▼ Το φάρμακο αυτό τελεί υπό συμπληρωματική παρακολούθηση. Αυτό θα επιτρέψει το γρήγορο προσδιορισμό νέων πληροφοριών ασφαλείας. Ζητείται από τους επαγγελματίες υγείας να αναφέρουν οποιεσδήποτε πιθανολογούμενες ανεπιθύμητες ενέργειες, Βλ. παράγραφο 4.8 της ΠΧΠ για τον τρόπο αναφοράς ανεπιθύμητων ενεργειών.

Βοηθήστε να γίνουν τα φάρμακα πιο ασφαλή
και Αναφέρετε
ΟΛΕΣ τις ανεπιθύμητες ενέργειες
για ΟΛΑ τα φάρμακα
Συμπληρώνοντας την «ΚΙΤΡΙΝΗ ΚΑΡΤΑ»

Κάτοχος άδειας Κυκλοφορίας
Takeda Pharmaceuticals International AG Ireland
Τοπικός Αντιπρόσωπος Takeda Ελλάς ΑΕ
Green Plaza, Κτίριο Β, Αγ. Κωνσταντίνου 59-61, 151 24 Μαρούσι
Τηλ κέντρο: 2106387800, Fax: 2106387801, www.takeda.gr

Πριν από τη συνταγογράφηση του
FRUZAQLA, συμβουλευθείτε την
Περίληψη Χαρακτηριστικών του
Προϊόντος (ΠΧΠ), η οποία είναι
διαθέσιμη μέσω του κώδικα QR.



EXA/GR/FRZ/0006, 01/25



Saturday, 26 September 2026

10:35-11:20

Case: dMMR rectal cancer: neoadjuvant IO and surgery avoidance

Moderators: **O. Lyros · I. Katsoulis**

Presenter: **N. Karangeli**

A. Patient selection for surgery avoidance - Cercek NEJM data, 3-year follow-up, eligibility criteria.

M. Frountzas

B. Salvage TME after local regrowth - timing, surgical planes after IO, what patients must be told upfront.

Ch. Kontovounisios

C. MRI after IO - how response patterns differ from post-CRT and what constitutes true CR.

P. Nikolopoulos

D. Catastrophic irAEs that alter the plan - grade 3-4 toxicity, IO discontinuation, bridging to surgery.

Th. Tegos

11:20-11:40

Coffee break

11:40-12:00

Invited talk

sponsored by



Moderator: **G. Lypas**

Targeting Claudin 18.2 in upper & lower GI malignancies.

D. Ziogas

12:00-12:45

Case: High-risk low T1 rectal cancer after ESD: TME or organ preservation?

Moderators: **C. Mavrantonis · V. Sivanathan**

Presenter: **N. Boltsis**

A. Completion TME - oncologic rationale, APR vs intersphincteric approach, counselling this patient.

D. Paradellis

B. LN metastasis risk in SM3 T1 - histologic features that drive the decision; what the path report must include.

K. Barbati

C. Endoscopic resection in the low rectum - ESD vs TAMIS, specimen quality, when re-excision is feasible.

V. Sivanathan

D. Adjuvant CRT as organ preservation in high-risk T1 - evidence base, dose, technique, expectations.

E. Mosa


12:45-13:45

Lunch break

The EndoPredict Second Generation Advantage

Second Generation Tests Include Clinicopathological Factors for Best Prognostic Performance


Since TAILORx² it is also known for ODx that integration of clinical factors improves prognostic accuracy.



Comparison of the prognostic power of EndoPredict with the leading first generation test in TransATAC¹

Second Generation Tests Include Genes that Predict Both Early and Late Recurrence³

ODx gene selection and lack of clinicopathological factors lead to worse prediction of late metastasis.^{1,4}



Second Generation Tests Can be Performed in Country under Local Supervision

ODx can only be performed in a reference laboratory outside Europe without local accountability and with prolonged TAT.



Fast Turnaround Time

You can find pathologists in your country who perform EndoPredict at Endopredict.eu

REFERENCES:

1. Buus et al., 2016, 2. Sparano et al., 2019 3. Dubsky et al., 2013 4. Sestak et al., 2018

Αποκλειστική Αντιπρόσωπος για την Ελλάδα, την Κύπρο, την Σερβία και άλλες χώρες



Gene Analysis
Πατριάρχου Γρηγορίου Ε 2
56123, Θεσσαλονίκη
info@geneanalysis.eu
+30 2311 211686
www.geneanalysis.eu



Myriad Genetics GmbH
Leutschenbachstrasse 95
8050 Zurich
Switzerland
www.myriadgenetics.eu
www.endopredict.eu



Saturday, 26 September 2026

13:45-14:05

Invited talk

Moderator: **D. Ziogas**

Novelties around the corner.

M. Moehler

14:05-15:00

Case: Pelvic recurrence after rectal cancer resection

Moderators: **Ch. Kontovounisios · E. Mosa**

Presenter: **Ch. Kontovounisios**

A. Pelvic exenteration - candidacy, R0 probability, morbidity, pre-consent patient counselling.

Ch. Kontovounisios

B. Re-irradiation in a previously irradiated pelvis - dose constraints, IMRT/proton options, sequencing.

E. Mosa

C. Induction chemo and IO before re-resection - converting borderline disease, re-staging timing.

B. Brenner

D. PET-CT and MRI in pelvic recurrence - resectability, R0 prediction, ruling out occult distant disease.

P. Nikolopoulos

15:00-15:30

Coffee break

15:30-16:30

Workshop: Lynch syndrome in 2026

Moderators: **G. Lypas · A. Divane**

Part 1: Genes / penetrance / surveillance.

Ch. Veros

Part 2: Gynaecological risks / risk-reducing surgery.

G. Hilaris

Part 3: Latest on prevention - aspirin, resistant starch, vaccines.

M. Yurgelun

PAXMAN[®]



Chemotherapy hair loss doesn't have to be *inevitable*

Scalp cooling is a simple treatment that can help to prevent hair loss caused by chemotherapy. Not all chemo drugs cause hair loss, but for those that do, scalp cooling is the only effective solution to this problem.

Visit coldcap.com



aegishealthcare.gr

Saturday, 26 September 2026**16:30-17:15****Case: Peritoneal metastases from CRC: CRS-HIPEC or systemic therapy?**Moderators: **O. Lyros · K. Stamou**Presenter: **K. Stamou**

A. Imaging peritoneal metastases - what CT/MRI/PET can define, and what they cannot.

E. Lavda

B. Diagnostic laparoscopy and PCI scoring before cytoreduction - practical workflow; when CT underestimates peritoneal burden and how laparoscopy changes the decision.

B. Jansen-Winkel

C. First treatment decision - upfront CRS or induction systemic therapy: regimen choice in RAS WT/MSS disease, use of anti-EGFR therapy, response assessment & reassessment timing.

G. Papaxoinis

D. Local treatment strategy - CRS, HIPEC or CRS alone: completeness of cytoreduction, center expertise, morbidity, PRODIGE 7 implications, choice of HIPEC regimen where used.

K. Stamou**17:15-18:00****Case: Synchronous rectal cancer & liver metastases: which comes first?**Moderators: **I. Kostakis · D. Schizas**Presenter: **M. Drikou**

A. Surgical sequencing - liver-first vs rectal-first vs simultaneous; what drives the choice.

P. Lykoudis

B. FLR volumetry, ablation + resection hybrid, hepatic arterial planning - what IR adds to the synchronous disease MDT decision.

M. Glynos

C. Conversion chemotherapy: how response defines resectability; RAS WT and left sidedness - which regimen maximizes response while preserving surgical options?

M. Avgoustidou

D. Dietitian and prehabilitation - optimization before and between two major operations, ERAS, sarcopenia.

K. Chremou



Akynzeo[®]

netupitant/palonosetron

Ένα καψάκιο περιέχει 300 mg netupitant και 0,5 mg palonosetron



Αθήνα: Ελευθερίας 4, Κηφισιά 14564, τηλ.: 210 5281700
Τμήμα Φαρμακοεπαγρύπνησης τηλ: 210 5281700
e-mail: pv@galenica.gr • www.galenica.gr

Βοηθήστε να γίνουν τα φάρμακα πιο ασφαλή και
Ανοφέρετε
ΟΛΕΣ τις ανεπιθύμητες ενέργειες για
ΟΛΑ τα φάρμακα
Συμπληρώνοντας την «ΚΙΤΡΙΝΗ ΚΑΡΤΑ»

Συμβουλευτείτε
την Περίληψη
Χαρακτηριστικών του
Προϊόντος
Akynzeo[®] SmPC



HELSINN
Building quality cancer care together

Διανέμεται κατόπιν αδείας
της Helsinn Healthcare S.A, Ελβετία



Faculty

**Agiannitopoulos
Konstantinos**

Dr., Biologist, Laboratory Geneticist, Research Fellow, Human Molecular Genetics Laboratory, NCSR 'Demokritos', Athens

Apostolidis Kathi

External Policy & Research Advisor, Italian Federation of Volunteer Cancer Patient Associations - F.A.V.O., Co-founder-Past President Hellenic Cancer Federation-ELLOK

Avgoustidou Maria

MD, ehem.OÄ, FÄ, Director of Oncology, Athens Medical Center, German board-certified Oncologist/Hematologist Specialized in Palliative Care

Barbati Kalypto

Dr., MD, FRCPath PhD, Scientific Collaborator, Iatriko Athens, HBD, Past Chief Director, Red Cross Hospital Athens Pathology

Boltsis Nikolaos

General Surgeon, Assistant Director, 6th Surgery Department, 'HYGEIA' Hospital, Athens

Brenner Baruch

Head, Department of Oncology, Davidoff Cancer Center Rabin Medical Center, Beilinson Hospital, Israel

Chremou Katerina

Clinical Nutrition Expert | Head Clinical Dietitian-Nutritionist, MS, HCP, GRESPEN, 'Mitera' General, Maternity & Children's Hospital S.A., HHG, Athens

Chrysoglou Sofia Ifigeneia

MD, MSc, Medical Oncologist, 'Metaxa' Cancer Hospital, Piraeus

Divane Aspasia

B.Sc., Ph.D., Er.CL.G. Biologist – Laboratory Geneticist Licensed Specialist in Laboratory Genetics (Ministry of Health, No. 17674) Certified by the European Board of Medical Genetics (EBMG) Founder & Director, LIFE CODE Medical Ltd

Drikou Myrto

MD, General Surgery Resident, Fourth Department of Surgery, 'Attikon' University Hospital, Athens

Efthimiou Petros

MD, FACR, Rheumatologist, Associate Professor of Medicine/Rheumatology, Albert Einstein College of Medicine, New York

Frountzas Maximos

Senior Colorectal Fellow, The Royal Marsden Hospital, NHS Foundation Trust, London, UK

Glynos Michalis

Interventional Radiologist, Co-Chief of Interventional Radiology and Peripheral Vasculature Department, 'Metropolitan General' Hospital, Athens

Grigoriadis Stavros

Dr., ATE, MD, MSc, PhD, EDiR, EBIR, FCIRSE, Director of Interventional Radiology, Oncology Clinic, Athens Medical Center, Athens

Hilaris Georgios

Gynecologic Oncology Surgeon, Head, 2nd Department of Gynecologic Oncology, 'HYGEIA' Hospital, Athens

Jansen-Winkeln Boris

Professor, Head of Department at Klinikum, St. Georg Leipzig, Germany

Kamposioras Konstantinos

MD, MPH, PhD, FRCP, Consultant in Medical Oncology, The Christie NHS Foundation Trust, UK Honorary Senior Lecturer, Division of Cancer Sciences, University of Manchester

ΑΠΕΛΕΥΘΕΡΩΣΤΕ ΤΗ ΔΥΝΑΜΗ.

ΔΙΠΛΑΣΙΑΣΜΟΣ ΤΗΣ ΣΥΝΟΛΙΚΗΣ ΕΠΙΒΙΩΣΗΣ* ΣΤΗΝ 1^η ΓΡΑΜΜΗ ΘΕΡΑΠΕΙΑΣ ΤΟΥ BRAF V600E ΜΕΤΑΣΤΑΤΙΚΟΥ ΚΑΡΚΙΝΟΥ ΤΟΥ ΠΑΧΕΟΣ ΕΝΤΕΡΟΥ¹

Βελτίωση στη συνολική επιβίωση έναντι του SOC

Διάμεσο OS: 30,3 μήνες έναντι 15,1 μήνες (HR: 0,49)

Το BRAFTOVI® σε συνδυασμό με cetuximab και FOLFOX ενδείκνυται για τη θεραπεία πρώτης γραμμής
ενήλικων ασθενών με μεταστατικό καρκίνο του παχέος εντέρου με μετάλλαξη BRAF V600E².



Η θεραπεία πρώτης γραμμής με BRAFTOVI® + cetuximab + FOLFOX έχει ένα διαφορετικό προφίλ ασφάλειας, σύμφωνο με εκείνο που είναι γνωστό για κάθε παράγοντα^{1,3}. Η μελέτη έδειξε στατιστική σημαντικότητα ως προς τα πρωτεύοντα καταληκτικά της σημεία, το ORR (ποσοστό αντικειμενικής ανταπόκρισης) και το PFS (επιβίωση χωρίς εξέλιξη της νόσου).¹

• **ORR** αρχική ανάλυση (ημερομηνία αποκοπής δεδομένων: 22 Δεκεμβρίου 2023): BRAFTOVI® + cetuximab + FOLFOX (n/N=110/236): 60,9% (95% CI: 51,6-69,5), SOC (n/N=110/243): 40,0% (95% CI: 31,3-49,3); λόγος πιθανοτήτων (odds ratio): 2,443 (95% CI: 1,40-4,25), μονόπλευρη τιμή P = 0,0008.^{2,3}
• **PFS** (ημερομηνία αποκοπής δεδομένων: 6 Ιανουαρίου 2025): Το διάμεσο PFS ήταν 12,8 μήνες με BRAFTOVI® + cetuximab + FOLFOX έναντι 7,1 μηνών με SOC (HR 0,53, 95% CI: 0,41-0,68; P < 0,0001).¹

*Το OS (συνολική επιβίωση) είναι ένα βασικό δευτερεύον καταληκτικό σημείο, CI (διάστημα εμπιστοσύνης), HR (λόγος κινδύνου), mCRC (μεταστατικός καρκίνος παχέος εντέρου), ORR (ποσοστό αντικειμενικής ανταπόκρισης), OS (συνολική επιβίωση), PFS (επιβίωση χωρίς εξέλιξη της νόσου), SOC (καθιερωμένη θεραπεία), SOC: επιλογή χημειοθεραπείας του ερευνητή mFOLFOX6: ιρινοτεκάνη, οξαλιπλατίνη, φυλλινικό οξύ και 5-FU [FOLFOXIRI]; ή οξαλιπλατίνη και καπεσιταβίνη [CAPOX], καθένα με ή χωρίς μεθαδοξομίλη (Ομάδα ελέγχου).^{1,3}

1. Elez E, et al. N Engl J Med 2025;392(24):2425-2437. 2. BRAFTOVI® Summary of Product Characteristics. Ιούλιος 2026. Pierre Fabre Médicament. 3. Kopetz S, et al. Nat Med 2025;31:901-8.

Για τη συνταγογράφηση συμβουλευτείτε την Περιήληξη Χαρακτηριστικών Προϊόντος που διατίθεται από τον κάτοχο άδειας κυκλοφορίας κατόπιν αιτήσεως.

Για το BRAFTOVI®:
Ποσιολογική και ποσοτική σύνθεση: 75 mg σκληρά καψάκια. Κάθε σκληρό καψάκιο περιέχει 75 mg encorafenib.

Συνολικό προφίλ ασφαλείας: Οι πιο συχνές ανεπιθύμητες ενέργειες (ADEs) (>25%) που αναφέρθηκαν σε αυτόν τον πληθυσμό ήταν: περιφερική νευροπάθεια, ουδετεροπενία, ναυτία, κόπωση, ανομία, διάρροια, έμετος, μειωμένη όρεξη, εξάνθημα, θρομβοπενία, κοιλιακό άλγος, αιμορραγία, αρθραλγία/μυοσκελετικός πόνος, πυρετός, δυσκοιλιότητα, φλεγμονή των βλεννογόνων και λήμψη.

Νοσοκομειακή τιμή Ειλάδας (CAPS 75MG): € 909,38. % επιστράφισης από τους οργανισμούς κοινωνικών ασφαλίσεων: 100%. Περιορισμένη ιατρική συνταγή. Η έναρξη της θεραπείας γίνεται σε νοσοκομείο και μπορεί να συνεχιστεί εκτός νοσοκομείου υπό την παρακολούθηση ειδικού ιατρού.

Μέγιστη Χανδωκή Τιμή Κύπρου: € 131717. Περιορισμένη ιατρική συνταγή. Η έναρξη της θεραπείας γίνεται σε νοσοκομείο και μπορεί να συνεχιστεί εκτός νοσοκομείου υπό την παρακολούθηση ειδικού ιατρού.

Βοηθήστε να γίνουν τα φάρμακα πιο ασφαλή και
Αναφέρετε
ΟΛΕΣ τις ανεπιθύμητες ενέργειες για
ΟΛΑ τα φάρμακα
Συμπληρώνοντας την «ΚΥΡΗΝΗ ΚΑΡΤΑ»





Kapetsis Georgios	Msc, Medical Manager, Genekor Medical S.A.
Karangeli Nektaria	5th-Year Medical Student, National and Kapodistrian University of Athens (NKUA)
Katsoulis Iraklis	MD, PhD, FRCS (Eng), FEBS (Coloproctology), Senior Consultant Surgeon, Department of Surgical Oncology, 'St. Savvas' Anticancer Hospital, President of the Hellenic Society of Surgical Oncology, Athens
Konstantinidis Konstantinos	MD, PhD, FACS, MAMSE Scientific Medical Director & Chairman of General, Oncologic, Laparoscopic, & Robotic Surgery, Athens Medical Center
Kontovounisios Christos	MD, PhD, FACS, FRCS, Director, 2 nd Surgical Department, 'HYGEIA' Hospital, Athens
Kostakis Ioannis	Assistant Professor of Surgery, University of Patras Medical School
Lavda Eirini	MD, PhD(c) Radiologist, Athens Medical Center Former Senior Radiologist, St. Josef Krankenhaus Moers, Germany
Lykoudis Panagis	Dr., MD, MSc, DIC, PhD, MRCS, FHEA, FACS, FEBS(HPB), Hepato-Pancreato-Biliary Surgeon, Assistant Professor of Surgery, 4 th Department of Surgery, School of Medicine, NKUA, Athens
Lypas Georgios	Medical Oncologist, Director of Department of Genetic Oncology, 'HYGEIA' Hospital, Athens
Lyros Orestis	MD, PhD, FACS, FEBS/MIS Assistant Professor of Surgery, National & Kapodistrian University of Athens (NKUA)
Malamatenios Markos-Avrilios	Gastroenterologist-Hepatologist. 1 st Endoscopic Department, Athens Medical Centre
Marquardt Jens	Professor, Dr., Department Head Professor of Gastroenterology and Hepatology Department of Medicine, University of Lübeck, Germany
Mavrantonis Constantinos	MD, PhD, FACS, Director, 6 th Department of Surgery, Chairman, Founder NoDE Institute
Michailidou Maria	MD, FACS, FASCRS Colon and Rectal Surgeon
Mitry Emmanuel	MD, PhD, Professor of Gastroenterology, Head of GI Oncology, Medical Oncology Department, Institut Paoli-Calmettes, France
Moehler Markus	Head of GI Oncology, Senior Physician Gastroenterology & Endosonography, Head, Mainz University Clinic, Germany
Mosa Eftychia	MD, MSc, PhD, Senior Consultant ,Clinical Oncologist, Department of Radiotherapy,Saint Savvas Anticancer Hospital, Athens
Nikolopoulos Panagiotis	Consultant Radiologist, 'HYGEIA' Hospital, Athens

**Nintos Georgios**

Consultant Medical Oncologist

Papaioannou Dimitrios

MD, MSc (hons), Pathologist, Ass. Director, Pathology Dept, 'HYGEIA' Hospital, Athens

Papalois Apostolos

Vice President Hellenic Society for Gastrointestinal Oncology. Visiting Professor University of Athens, School of Medicine. President of the Scientific Council of the Special Unit for Biomedical Research and Education, School of Medicine, Aristotle University of Thessaloniki. Secretary General NASCE/UEMS Executive Board, Brussels.

Papamichael Dimitrios

Dr., MB, BS, FRCP, Medical Oncologist, Director of Medical Oncology Department, Bank of Cyprus Oncology Centre

Papaxoinis Georgios

MD, PhD, Consultant Medical Oncologist, 'St. Savvas' Anticancer Hospital, Athens

Paradellis DoukakisMD, PhD, General Surgeon, 6th Surgical Clinic, 'HYGEIA' Hospital, Athens**Parasyris Stavros**

MD, PhD, General Surgeon

Pavlou Kalliopi

MD, Msc., Pathologist, Athens Medical Center

Perrakis Aristotelis

Clinical Director of General, Oncology & Minimally Invasive Surgery - Liver, Pancreas, Gallbladder, Colon Center Medical Center of Athens

Petropoulou Faye

PhD, MRes, MSc Head of molecular oncology department A-Lab

Schizas Dimitrios

Associate Professor of Surgery, National and Kapodistrian University of Athens, 'Laikon' General Hospital, Athens, Greece

Sivanathan Visvakanth

MBBS, MS, MRCS(Eng), FRACS, FCSSL, General Surgeon

Sotiropoulou Anastasia

MD, General Surgery Department, General Hospital of Nafplio

Stamataki Asteria

RD, MSc, PhDcand, Dietitian-Nutritionist, Medical School of Athens

Stamou KonstantinosDirector, 7th Department of Surgery 'HYGEIA' Hospital, Athens**Tegos Theodoros**

Medical Oncologist, 'Evangelismos' General Hospital, 'HYGEIA' Hospital, Athens

Thomaidis Thomas

MD, PhD, Gastroenterologist, Associate Professor, Johannes-Gutenberg University of Mainz, Germany, Partner of the Gastroenterology Clinic, 'HYGEIA' Hospital, Athens

Tripodaki Elli Sofia

MD, PhD, Medical Oncologist, Oncology Clinic, 'Agioi Anargyroi' Hospital

Tsirlis Theodoros

PhD, PGCert, FRCS, FEBS (HPB), Consultant Surgeon, 'St. Savvas' Oncology Hospital of Athens

Tzima Maria

ELLOK, Hellenic Cancer Federation, Board Member

**Panopoulos Christos**

Dr., MD, PhD, Medical Oncologist, Chief of the Department of Oncology, Athens Euroclinic

Vassos Nikolaos

MD, MSc, PhD, FEBS, MHBA General Surgeon - Surgical Oncologist Professor of Surgery, Heidelberg University, Germany Professor of Surgical Oncology, European University Cyprus Visiting Professor of Surgery, National and Kapodistrian University of Athens, Greece Director, Department of Surgical Oncology, Athens Medical Center, Greece

Veros Christos

MD, MSc, PhD(c), Medical Oncologist, Department of Genetic Oncology, 'HYGEIA' Hospital, Athens

Vogiatzis Merkourios

Nuclear Physician, Associate of the Departments of Nuclear Medicine and PET - CT, 'HYGEIA' Hospital, Athens

Voulgaris Evangelos

MD, MSc, PhD, Medical Oncologist, 404 Army Hospital, Larisa

Yurgelun Matthew

Senior Physician, Director Lynch Syndrome Center & Director of Clinical Research, Dana-Farber Cancer Institute, Associate Professor of Medicine, Harvard Medical School

Zampitis Nikolaos

MD, ChM, MSc (col), FASCRS, Consultant General and Colorectal Surgeon, 3rd Surgical Department, 'Tzaneio' Hospital of Piraeus

Ziogas Dimitrios

MD, PhD, Assistant Professor in Medical Oncology, 1st Department of Internal Medicine, 'Laikon' General Hospital, School of Medicine, National and Kapodistrian University of Athens, Athens, Greece

Organization:



In cooperation with:



Under the Auspices:



FORUM ON DIGESTIVE
ONCOLOGY

COLON & RECTAL
MALIGNANCIES ACROSS
DISCIPLINES

25 - 26
September
2026

Venue Royal
Olympic Hotel
ATHENS

General information

Organization:

Hellenic Society of Gastrointestinal Oncology <https://digestiveoncology.org.gr>

In Cooperation with:

Johannes Gutenberg University of Mainz <https://www.uni-mainz.de/en>

Under the Auspices:

European Society of Digestive Oncology (ESDO) <https://www.esdo.eu>

Date:

September 25-26 2026

Venue:

Royal Olympic Hotel
28-34 Athanasiou Diakou Str.
117 43, Athens, GREECE
+30 210 92.88.400

Registrations:

Registration and attendance are allowed only to Health Care Professionals and undergraduate/graduate students. Registrations require presentation/proof of professional capacity or status. Registration and attendance to the Forum is free to all Health Care Professionals and undergraduate/ graduate students.

Instructions for attendance:

Participants who wish to attend the Forum should have completed their registration online. To connect to the Conference Hall, select from the menu at the bottom of your screen, the icon "Meeting Room".

Organization:



In cooperation with:



Under the Auspices:



FORUM ON DIGESTIVE
ONCOLOGY

COLON & RECTAL
MALIGNANCIES ACROSS
DISCIPLINES

25 - 26
September
2026

Venue Royal
Olympic Hotel
ATHENS

Certificate of attendance:

The certificate of attendance will be sent at the end of the event to those delegates who have completed their registration. A necessary condition for receiving the attendance certificate is the completion of at least 60% of the total hours of the scientific program.

Secretariat:



Events & Travel Solutions

154 El. Venizelou str., N. Smirni, Athens, Greece, 171 22

Tel.: +30 210 98 80 032

E mail: ets@events.gr

Website: www.events.gr

Reproduction, republishing, copying, storing, selling, transmitting, distributing, publishing, executing, downloading, translating, modifying in any manner without the express prior written consent of the Company, all or part of the Program Content is expressly prohibited. E.T.S. Events & Travel Solutions expressly reserves all of its legal right to the protection of intellectual and industrial property rights. For more detailed information visit www.events.gr

Organization:



In cooperation with:



Under the Auspices of:



FORUM ON DIGESTIVE
ONCOLOGY

COLON & RECTAL
MALIGNANCIES ACROSS
DISCIPLINES

25 - 26
September
2026

Venue Royal
Olympic Hotel
ATHENS

Sponsors



Bayer





• E.T.S. Events & Travel Solutions (2026) •